



SONG MING Machinery 崧明機械

COMPOUND EXTRUDER SERIES

Professional Recycling Plant Manufacturer






SONG MING

Salvage **O**riented for the **N**onpareil **G**lobe
Multiform **I**mplements for the **N**oble **G**arbage.....



Contributing to the World Through Recycling Plants






Waste Plastic Recycling Plant: double de-gasing model

廢塑料回收造粒設備

適用 PP PE LDPE HDPE PS ABS

- ① GRANULATOR 粉碎機
- ② BLOWER 風車
- ③ CYCLONE SEPARTOR 集塵桶
- ④ SCREW CONVEYOR 螺旋輸送機
- ⑤ MAIN EXTRUDER 押出母機
- ⑥ SUB-EXTRUDER 押出子機
- ⑦ COOLING WATER TUNNEL 冷卻水槽
- ⑧ MATERIAL RACK 過水架
- ⑨ BLOWER 吸水機
- ⑩ PELLET CUTTER 切粒機
- ⑪ BLOWER 風車
- ⑫ STORAGE BARREL 成品儲料桶



SPECIFICATIONS 規格

Model 機型	Granulator 粉碎機		Blower 輸送風車		Screw Conveyor 螺旋輸送機		Main Extruder 押出主機					Sub-extruder 押出子機		Cooling Tunnel 冷卻槽	Blower 吸水機	Pellet Cutter 切粒機	Blower 輸送風車	Storage Barrel 成品儲料桶		
	Model 型式	Power 動力	Power 動力	Power 動力	Size 尺寸	L / D Ratio 螺旋輪長徑比	Main Power 主機動力	Temp. Control 溫度控制	Heating Capacity 電熱容量	Hydraulic Power 模頭油壓動力	Enforcing Hopper 強壓漏斗動力	Capacity 工作量	L/D Ratio 螺旋輪長徑比	Power 動力	Heating Capacity 電熱容量	Size 尺寸	Power 動力	Power 動力	Power 動力	Capacity 容量
SM-90WPR	SM - A15	20 HP	5 HP	3 HP	8' Φ x 3.5 m	28 : 1	40 HP AC	5 zones	25 KW	3 HP	5 HP	80-120 kg/hr	1 : 8	VS 15 HP	15 KW	8' x 1.2' x 1'	2 HP	VS 3 HP	3 HP	1000 L
SM-100WPR	SM - A21	30 HP	5 HP	3 HP	8' Φ x 3.5 m	28 : 1	50 HP AC	6 zones	30 KW	3 HP	5 HP	120-150 kg/hr	1 : 8	VS 15 HP	20 KW	8' x 1.2' x 1'	2 HP	VS 3 HP	3 HP	1000 L
SM-120WPR	SM - A21	30 HP	7.5 HP	3 HP	8' Φ x 3.5 m	30 : 1	75 HP AC	7 zones	40 KW	3 HP	7.5 HP	200-250 kg/hr	1 : 8	VS 25 HP	25 KW	10' x 1.2' x 1.1'	2 HP	VS 5 HP	5 HP	1000 L
SM-150WPR	SM - A25	40 HP	7.5 HP	3 HP	8' Φ x 3.5 m	32 : 1	100 HP AC	8 zones	50 KW	5 HP	7.5 HP	280-350 kg/hr	1 : 8	VS 30 HP	28 KW	12' x 1.2' x 1.1'	2 HP	VS 7.5 HP	5 HP	1000 L

The above specifications and dimensions are for referencing purpose only. These figures are subject to change without prior notice.

以上圖片及規格，僅供參考之用。





Bag/Film Recycling Plant: die-face cutting model

薄膜袋料回收整廠設備

適用 PE LDPE LLDPE HDPE

- ① GRANULATOR 粉碎機
- ② BLOWER 風車
- ③ BLENDING TANK 臥式攪拌機
- ④ SCREW CONVEYOR 螺旋輸送機
- ⑤ EXTRUDER 押出母機
- ⑥ SEPARATOR 脫水機
- ⑦ VIBRATING SCREENER 振動篩選機
- ⑧ BLOWER 風車
- ⑨ STORAGE BARREL 成品儲料桶



SPECIFICATIONS 規格

Model 機型	Granulator 粉碎機		Blower 輸送風車		Screw Conveyor 螺旋輸送機		Blending Tank 攪拌桶		Main Extruder 押出主機								Separator 脫水機		Vibrating Screener 振動篩選機		Storage Barrel 成品儲料桶	
	Model 型式	Power 動力	Power 動力	Power 動力	Size 尺寸	Water Capacity 水容量	Power 動力	L / D Ratio 螺旋軸長徑比	Main Power 主機動力	Temp. Control 溫度控制	Heating Capacity 電熱容量	Hydraulic Power 模頭油壓動力	Enforcing Hopper 強壓漏斗動力	Capacity 工作量	Power of Die-Cutter 模頭切刀馬力	Water Pump 抽水馬達	Power 動力	Vibrating Power 振動能力	Cooling Fan 風扇	Blower 輸送風車	Capacity 容量	
SM-90FDC	SM-A15	20 HP	5 HP	3 HP	8' Φ x 3.5 m	1310 L	7.5 HP	28 : 1	40 HP AC	5 zones	30 KW	3 HP	5 HP	100-150 kg/hr	3 HP	2 HP	5 HP	500 kg	0.25 HP x 2	3 HP	1000 L	
SM-100FDC	SM-A21	20 HP	5 HP	3 HP	8' Φ x 3.5 m	1310 L	7.5 HP	28 : 1	50 HP AC	6 zones	40 KW	3 HP	5 HP	150-200 kg/hr	3 HP	2 HP	5 HP	500 kg	0.25 HP x 2	3 HP	1000 L	
SM-120FDC	SM-A21	30 HP	7.5 HP	3 HP	8' Φ x 3.5 m	1310 L	7.5 HP	30 : 1	75 HP AC	8 zones	55 KW	3 HP	7.5 HP	200-250 kg/hr	3 HP	2 HP	10 HP	500 kg	0.25 HP x 2	5 HP	1000 L	
SM-150FDC	SM-A25	40 HP	7.5 HP	3 HP	8' Φ x 3.5 m	2530 L	15 HP	32 : 1	100 HP AC	10 zones	70 KW	5 HP	7.5 HP	280-350 kg/hr	3 HP	2 HP	10 HP	500 kg	0.25 HP x 2	5 HP	1000 L	

The above specifications and dimensions are for referencing purpose only. These figures are subject to change without prior notice.



以上圖片及規格，僅供參考之用。



Masterbatch Pelletizing Plant

色母造粒整廠設備

- ① EXTRUDER 押出母機
- ② COOLING WATER TUNNEL 冷卻水槽
- ③ MATERIAL RACK 過水架
- ④ PELLET CUTTER 切粒機
- ⑤ BLOWER 風車
- ⑥ STORAGE BARREL 成品儲料桶



SPECIFICATIONS 規格

Model 機型	Main Extruder 押出主機						Cooling Tunnel 冷卻槽	Pellet Cutter 切粒機	Blower 輸送風車	Storage Barrel 成品儲料桶
	L / D Ratio 螺旋軸長徑比	Main Power 主機動力	Temp. Control 溫度控制	Heating Capacity 電熱容量	Hydranic Power 模頭油壓動力	Capacity 工作量	Size 尺寸	Power 動力	Power 動力	Capacity 容量
SM-90MBP	28 : 1	30 HP AC	5 zones	25 KW	3 HP	120-150 kg/hr	8' x 1.2' x 1'	VS 3 HP	3 HP	1000 L
SM-100MBP	28 : 1	40 HP AC	6 zones	30 KW	3 HP	150-180 kg/hr	8' x 1.2' x 1'	VS 3 HP	3 HP	1000 L
SM-120MBP	30 : 1	75 HP AC	7 zones	40 KW	3 HP	220-250 kg/hr	10' x 1.2' x 1.1'	VS 5 HP	5 HP	1000 L
SM-150MBP	32 : 1	100 HP AC	8 zones	50 KW	5 HP	280-350 kg/hr	12' x 1.2' x 1.1'	VS 7.5 HP	5 HP	1000 L

The above specifications and dimensions are for referencing purpose only. These figures are subject to change without prior notice.

以上圖片及規格，僅供參考之用。




Mini-extruder for Laboratory

試驗用押出機

1. The L/D Ratio may be manufactured according to clients' specification. (30:1 ~ 36:1)
2. The above is suitable for PP, PE, Nylon and other plastic material which has a high melting point.
3. Most utilized in laboratory color-testing and recipe confirmation.

1. 客戶自由指定 L/D 比例，由 30:1 ~ 36:1 皆可。
2. 本品適用於「PP、PE、尼龍及高溶點塑膠類」材質試色及配方使用。



SPECIFICATIONS 規格

Model 機型	Screw Dia. 螺旋外徑	Power 動力	Temp. Control 溫度控制	L/D Ratio 螺旋軸長徑比
SM-90MBP	50 mm Φ	7.5 Hp	5 zones	28 : 1

The above specifications and dimensions are for referencing purpose only. These figures are subject to change without prior notice.

以上圖片及規格，僅供參考之用。



崧明全產品系列機型

1. **Waste Plastic (PP,PE,PS,& ABS) Recycling Plant:**
double de-gasing model
廢塑料一回收整廠設備：雙脫氧式
2. **Bag / Film Recycling Plant:** die-face cutting model
薄膜袋料一回收整廠設備：模頭切粒式
3. **Materbatch Pelletizing Plant**
色母製粒整廠設備
4. **TPR / EVA / PVC Compound Pelletizing Plant**
TPR / EVA / PVC 製粒整廠設備
5. **Recycling Peripherals:**
Granulators, Shredder, Vertical Mixers, Knife Grinders, and Hydraulic Cutters
廢料回收用週邊設施：
粉碎機，破碎機，直立式混合機，磨刀機及油壓裁斷機
6. **Pelletizing Peripherals:**
PVC Hi-speed Mixers, Blenders, and Pellet Cutting Machines
製粒用週邊設施：
高速混合機，臥式攪拌桶及切粒機
7. **Other Recycling Plant:**
Tires, PET Bottles, and Copper Wires
其他環保回收整廠設備：
廢輪胎，PET 瓶，與廢電線電纜回收設備





SongMing

Song Ming Machinery Ind., Ltd.

TEL: +886-4-26302115 FAX: +886-4-26398162

URL: <http://www.songming.com.tw/>

EMAIL: sonmin@ms16.hinet.net